



(2) 374mm[14.5] x 651mm[25.5] KNOCKOUT WINDOW

CROSS SECTION 'A'




CROSS SECTION 'B'



CLOSED BOTTOM HANDHOLE

PLAN VIEW



EMBEDDED LIFT LOOPS

ISOMETRIC VIEW

mm
[Inches]
ALL DIMENSIONS DEFAULT TO MILLIMETRES



UTILITY STRUCTURES INC.

61 BONGARD AVE | OTTAWA, ON | K2E 6V2
T: 613.225.6398 F: 613.225.1681 TF: 800.267.6466

www.utilitystructures.com

CONSTRUCTION DETAILS:

- AS PER **HYDRO OTTAWA UCS0016**
- DESIGNED TO BE USED WITH USI DWG# F-5 FRAME & COVER

- CSA 23.4-05
- 35 MPa (5000psi) AT 28 DAYS
- STRIPPING STRENGTH: MIN. 20 MPa(2900psi)
- 5-8% AIR ENTRAINED
- EXPOSURE CLASS: C-1
- REINFORCING: STEEL TO CSA CAN A23.1

PRODUCT CODE:

E-26

ELECTRICAL HANDHOLE

INSIDE DIMENSIONS:

0.80m(H) x 800mm x 800mm

TOTAL WEIGHT:

900 kg / 1,980 lbs

REVISION DATE:

SEPTEMBER 08, 2017

REV. #5